

Gramin Krishi Mausam Sewa District Level Agromet Advisory Bulletin Bidhan Chandra Krishi Viswavidyalaya



Mohanpur, Dist- Nadia, West Bengal

Agromet Advisory Bulletin

Date: 09-08-2024

Weather Forecast of District MEDINIPUR-EAST(West Bengal) Issued On: 2024-08-09(Valid Till 08:30 IST of the next 5 days)

Parameter	2024-08-10	2024-08-11	2024-08-12	2024-08-13	2024-08-14
Rainfall(mm)	7.0	10.0	7.0	15.0	28.0
Tmax(°C)	32.0	33.0	34.0	34.0	34.0
Tmin(°C)	26.0	26.0	27.0	27.0	27.0
RH-I(%)	83	84	81	81	81
RH-II(%)	67	61	62	59	59
Wind Speed(kmph)	19	14	16	15	12
Wind Direction(Degree)	180	243	238	236	246
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Light to moderate rainfall is predicted from 10th to 13th August and heavy rainfall is predited on 14th August. The sky will be overcast in next 5 days. Maximum temperature is predicted around 32 to 34 degrees and minimium temperature is predicted around 26 to 27 degrees in next 5 days. Maximum humidity is forecasted around 81-84% and minimum humidity 61-67%. Wind speed will be 15-19 km/hr and the predominant wind direction will be South Westerly. Weather alert: Light to moderate rainfall is predicted at most places over the districts over South Bengal. Thunderstorm with Lightning likely to occur at one or two places over East Midnapore on 09th August. Heavy rainfall (07-11cm) likely to occur at one or two places over South 24 Parganas, on 10th August, 2024. On 13th August heavy rainfall (07-11cm) is forecasted at one or two places over East Midnapore & South 24 Parganas.

General Advisory:

SMS Advisory:

Moderate to heavy rainfall is predicted.Immediate complete paddy transplanting Avoid water stagnation inside betel vine garden and vegetable field with ridge furrow system.

Crop Specific Advisory:

Crop (Stage)	Crop Specific Advisory		
RICE (Transplanting)	Aman paddy Transplanting • Immediate complete transplanting . • During transplanting apply granular DAP fertilizer @10kg per bigha. • Weedicide must be applied on the bund also. • Where transplanting done 3-4 days before apply one herbicide like Pretilachlor with sand. • If the age of seedlings exceeds 45 days transplant 5-6 seedlings per hill at a spacing of 15-20cm. • Avoid close spacing for preventing sheath blight.		

Horticulture Specific Advisory:

Horticulture (Stage)	Horticulture Specific Advisory		
BITTER GOURD (Vegetative)	Standing vegetables Brinjal, sponge goard, bittergourd, chilli, okra Due to sunny days after heavy rain plants may attacked by phytopthora and leaf spot disease specially in okra field. • Spray compound fungicide Metalaxyl+Mancozeb/ Carbendazin +Thiram @ 2g per liter of water for controlling rot and soil borne fungal disease. • For leaf spot foliar spray of Triflosystrobin 25%+ tebuconazole 505 WG @1g per liter of water at 15 days interval. • For preventing wilting of chilli, brinjal, bittergourd apply any fungicide around the soil of base after complete drain out of water during clear weather condition.		

Poultry Specific Advisory:

Poultry	Poultry Specific Advisory			
CHICKEN	Poultry Grower and layer Fungal attack • Keep the litter dry and apply lime for preventing fungal attack. • Apply only dry food and keep minimum water pot. • Keep the litter thin enough.			