

Gramin Krishi Mausam Sewa District Level Agromet Advisory Bulletin Bidhan Chandra Krishi Viswavidyalaya



Mohanpur, Dist- Nadia, West Bengal

Agromet Advisory Bulletin

Date: 27-08-2024

Weather Forecast of District 24-PARAGANAS-SOUTH(West Bengal) Issued On: 2024-08-27(Valid Till 08:30 IST of the next 5 days)

Parameter	2024-08-28	2024-08-29	2024-08-30	2024-08-31	2024-09-01
Rainfall(mm)	25.0	15.0	23.0	16.0	12.0
Tmax(°C)	29.0	32.0	32.0	33.0	33.0
Tmin(°C)	26.0	27.0	27.0	27.0	28.0
RH-I(%)	84	85	87	88	88
RH-II(%)	65	65	67	72	65
Wind Speed(kmph)	12	13	20	16	12
Wind Direction(Degree)	180	155	108	135	108
Cloud Cover(Octa)	8	6	3	6	6

Weather Summary/Alert:

Heavy rainfall is predicted on 28th August and moderate rainfall is predicted in the remaining days. The sky will be partly to mainly cloudy in next 5 days. Maximum temperature is predicted around 29 to 33 degrees and minimum temperature is predicted around 26 to 28 degrees in next 5 days. Maximum humidity is forecasted around 84-88% and minimum humidity 65-72%. Wind speed will be 12-20 km/hr and the predominant wind direction will be South Easterly to South Westerly.

General Advisory:

SMS Advisory:

Forecast for moderate rainfall, prediction is there for rising maximum temp and humidity, chance of huge sheath blight and sheath rot attack in aman paddy field. If attack found apply Validamycine

Crop Specific Advisory:

Crop (Stage)	Crop Specific Advisory		
\ \ \C_{\gamma}	South 24 Parganas Aman paddy Early transplanted paddy in tillering stage		
	and Late transplanting paddy in vegetative stage. As more than 100mm		

Crop (Stage)	Crop Specific Advisory
	rainfall is received deep water stagnation restrict application of first top
	dressing and herbicide application. Seedlings damaged due to deep water
	stagnation • No spraying for weed control should be applied on watered field.
	• Where newly transplanted main field was found completely submerged
	replace the damaged seedlings with healthy one or tiller from early
	transplanted paddy field. • Saved seedlings can be used for re-transplanting
	till no node will form • Re transplanting can be continued up to 1st Week of
	September Purba Medinipur Aman paddy Tillering stage Observation should
	be done during morning hours to inspect pest attack condition • Where basal
	dose cannot be given due to water stagnation apply DAP (granular) and
	Potash fertilizer@4-5kg per bigha. • If leaf roller or stem borer moth found
	during inspection only then Chlorothalonyprol can be applied.

Horticulture Specific Advisory:

Horticulture (Stage)	Horticulture Specific Advisory		
BRINJAL (Grand growth)	Brinjal, Tomato, Chilli Tender Seedling • Drain out of excess water • No spraying or pesticide should be applied in next 2-3 days. • After removal of water apply Diethane M-45@2.5g/liter of water for preventing wilting in sunny days.		
BETELVINE (Grand growth)	Betel vine GrowingWater stagnation caused rotting of vine and leaves • Immediately drain out water and pluck the affected leaf from field • Apply 0.5% Bordeaux mixture • Arrange proper drainage facility as moderate rainfall is predicted.		