



Mohanpur, Dist- Nadia, West Bengal

Agromet Advisory Bulletin

Date : 2024-12-03

Weather Forecast of District MEDINIPUR-EAST (West Bengal) Issued On : 2024-12-03 (Valid Till 08:30 IST of the next 5 days)

Parameter	2024-12-04	2024-12-05	2024-12-06	2024-12-07	2024-12-08
Rainfall(mm)	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	28.0	29.0	28.0	27.0	27.0
Tmin(°C)	18.0	17.0	16.0	15.0	15.0
RH-I(%)	68	66	65	62	52
RH-II(%)	37	34	28	27	24
Wind Speed(kmph)	9	7	7	8	9
Wind Direction(Degree)	12	3	354	8	12
Cloud Cover(Octa)	2	1	1	1	1

Weather Summary/Alert:

No rainfall is predicted on next 5 days. The sky will be mainly clear in the next 5 days. Maximum temperature is predicted around 27.0-28.0 degrees and minimum temperature is predicted around 15.0-18.0 degrees in next 5 days. Maximum humidity is forecasted around 52-68 % and minimum humidity 24-37%. Wind speed will be 7-9 km/hr and the predominant wind direction will be Northerly.

General Advisory:

As per extended range forecast no rainfall was recorded from 14.11.24 to 27.11.24. Based on MME forecast large excess rainfall is predicted from 29.11.24 to 5.12.24 and large deficit in rainfall is predicted from 6.12.24 to 12.12.24. Based on MME forecast Tmax will be above normal in Week 1 and below normal in week 2. For Tmin, it will show above normal in Week 1 and below normal in week 2. Complete potato field preparation and planting. • Prepare seed bed for boro paddy. Nurserv bed must be well levelled and separated by irrigation channel so that water level can be maintained and other farm operation can be done without entering inside the seed bed. Keep the nursery bed under proper observation for notifying when seedlings will attack by blast or nutrient deficiency or any other disease so that precaution can be taken at the early stage of infestation.

SMS Advisory:

As no rainfall is predicted Complete potato field preparation and planting and harvesting of aman paddy.

Crop Specific Advisory:

Crop (Stage)	Crop Specific Advisory
	Boro paddy Nursery bed preparation • Prepare low land and levelled field for nursery bed preparation in an area of 1/10th of total main field. The bed should be 1mt in width and separate the seed bed by 20 cm depth irrigation

Crop (Stage)	Crop Specific Advisory		
	channel. • Apply basal fertilizer viz. urea@750g/katha, SSP@2kg/katha and		
	MOP@500g/katha. • Seeds should be treated with Bavistin@2g/kg of seed or		
	Thirum 70WP@2.5g/kg of seed for dry seed treatment. For wet seed		
	treatment seeds should be dipped for 8-10 hours by MEMC@15g/liter of		
	water and then keep in gunny bag for 40-50hours for better germination.		

Horticulture Specific Advisory:

Horticulture (Stage)	Horticulture Specific Advisory		
BETELVINE	Betel vine Growing stage • As now minimum temperature is around 180C, follow organic manure like mustard cake application for better root growth. • Organic Fertilizer application must be completed before the temp. become very low otherwise root growth will be hampered.		

Poultry Specific Advisory:

Poultry	Poultry Specific Advisory
СНІСК	Poultry Farm arrangement • Before entry of new born chicks into farm the cage area should be disinfected by making fumigation for 15 minutes with the help of the mixture of 50g Potassium Per Manganet and 75ml Formalin in an earthen pot. • The wall and floor should be coloured with white lime. • Maintain the temperature with bulb . • Habituate the chicks from the first day at least one hour of darkness for avoiding fear of darkness which may effect in their feeding habit.