



Gramin Krishi Mausam Sewa
Agromet Advisory Bulletin for NADIA District
Bidhan Chandra Krishi Viswavidyalaya
 Mohanpur, Dist- Nadia, West Bengal



Agromet Advisory Bulletin

Date : 2024-12-24

Weather Forecast of District NADIA (West Bengal) Issued On : 2024-12-24 (Valid Till 08:30 IST of the next 5 days)

Parameter	2024-12-25	2024-12-26	2024-12-27	2024-12-28	2024-12-29
Rainfall(mm)	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	25.0	25.0	24.0	22.0	25.0
Tmin(°C)	13.0	15.0	14.0	14.0	14.0
RH-I(%)	65	59	61	63	56
RH-II(%)	35	36	35	35	32
Wind Speed(kmph)	6	6	8	8	9
Wind Direction(Degree)	357	353	355	342	336
Cloud Cover(Octa)	1	0	0	0	1

Weather Summary/Alert:

No rainfall is predicted in the next five days • Sky will be clear in the next 5 days . •Maximum temperature is expected to be around 22.0-25.0 degree and minimum temperature is likely to be 13.0-15.0 degree. • Relative humidity will be in the range of 32-65%.

General Advisory:

Spraying must be done to prevent early blight of Potato by Copper oxychloride or Mancozeb or Propineb or Chlorothalonil with sticker in a clear, sunny day .

SMS Advisory:

As there is chance of no rain in the next 5 days, spraying, fertilizer application & harvesting may be done.

Crop Specific Advisory:

Crop (Stage)	Crop Specific Advisory
RICE	Start preparation of nursery or seedbed for Boro Paddy cultivation.

Horticulture Specific Advisory:

Horticulture (Stage)	Horticulture Specific Advisory
POTATO	Vegetative Stage: Spraying must be done to prevent early blight of Potato by Copper oxychloride or Mancozeb or Propineb or Chlorothalonil with sticker in a clear, sunny day .
CUCUMBER	Winds will start to become cold during early morning and evening hours, fog can be seen near water bodies and fields. Excessive fog can increase the chances of Downey Mildew disease in Cucumber, Bottle gourd, squash,Pumpkin.Several fungicides are available for controlling downy mildew,including both protectant and eradicant fungicides.Protectants,

Horticulture (Stage)	Horticulture Specific Advisory
	including chlorothalonil, copper-based compounds, and mancozeb, can be used alone to protect plants from infection early in the season.