1/7/25, 4:52 PM District Advisory



Gramin Krishi Mausam Sewa Agromet Advisory Bulletin for HOWRAH District Bidhan Chandra Krishi Viswavidyalaya



Mohanpur, Dist- Nadia, West Bengal

Agromet Advisory Bulletin

Date: 2025-01-07

Weather Forecast of District HOWRAH (West Bengal) Issued On: 2025-01-07 (Valid Till 08:30 IST of the next 5 days)

| Parameter | 2025-01-08 | 2025-01-09 | 2025-01-10 | 2025-01-11 | 2025-01-12 |
|------------------------|------------|------------|------------|------------|------------|
| Rainfall(mm) | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Tmax(°C) | 25.0 | 24.0 | 24.0 | 24.0 | 25.0 |
| Tmin(°C) | 12.0 | 10.0 | 10.0 | 10.0 | 11.0 |
| RH-I(%) | 80 | 71 | 60 | 71 | 60 |
| RH-II(%) | 29 | 32 | 29 | 32 | 29 |
| Wind Speed(kmph) | 3 | 8 | 10 | 8 | 10 |
| Wind Direction(Degree) | 238 | 332 | 2 | 332 | 2 |
| Cloud Cover(Octa) | 2 | 3 | 2 | 3 | 2 |

Weather Summary/Alert:

No rainfall is predicted in the next five days • Sky will be clear in the next 5 days. • Maximum temperature is expected to be around 24.0-25.0 degree and minimum temperature is likely to be 10.0-12.0 degree. • Relative humidity will be in the range of 29-80%.

General Advisory:

Mancozeb or Chlorothalonil 2-2.5 g per lt of water may be sprayed as preventive measure of Late Blight of Potato.

SMS Advisory:

No rainfall is predicted in the next few days. Spraying, fertilizer application etc may be done.

Crop Specific Advisory:

| Crop (Stage) | Crop Specific Advisory | | | |
|--------------|---|--|--|--|
| RICE | Vegetative Stage: Prepare the main field for transplanting of Boro Paddy. Applying Boron and Zinc EDTA at 0.5g/liter of water will support healthy seedling growth at seed bed. | | | |

Horticulture Specific Advisory:

| Horticulture (Stage) | Horticulture Specific Advisory | | | |
|----------------------|---|--|--|--|
| РОТАТО | Vegetative Stage: During recent weather condition late blight may come at few places of some district of West Bengal in the next few days. Mancozeb or Chlorothalonil 2-2.5 g per lt of water may be sprayed as preventive measure. Fenamidon & Mancozeb 3g/lt water or Fluopikolyde & Propanocarb hydrochloride 3ml per lt water, Ametaktradin + Dimethomorph 2ml per lt water may be sprayed at one week interval. Dimethomorph(1g) must be mixed with Mancozeb (2g) for per lt of water. | | | |