



Crop (Stage)	Crop Specific Advisory
RICE	Due to rise in maximum temperature there is a chance of brown spot of rice. Spraying the seedlings with hexaconazole @ 1.5 ml/lit of water in case of brown colored spots on leaves. Apply weedicide pretilachlor or butachlor within 5 days of transplanting. For preventing stemborer attack or any borer attack apply cartap hydrochloride @ 3kg per bigha. For better result follow community spraying.
MUSTARD	This time Mustard crop is at pod maturing to harvesting stage. Try to harvest the mature crop .

#### Horticulture Specific Advisory:

Horticulture (Stage)	Horticulture Specific Advisory
POTATO	This time Potato crop is at tuber maturing to harvesting stage. Try to harvest the mature crop .

#### Likely impacts of weather warnings (General)

No weather warning is there in the next few days .Complete harvesting of Potato and Mustard where 80 to 100 % maturity observed.

#### Impact based advisories (General)

No weather warning is there in the next few days .Complete harvesting of Potato and Mustard where 80 to 100 % maturity observed.

Farmers are advised to download Unified Mausam and "Meghdoot" android application on mobile for Weather forecast and weather based Agromet Advisories and "Damini" android application for forecast of Thunderstorm and lightning.

Mausam MobileApp link: <https://play.google.com/store/apps/details/>

Meghdoot MobileApp link: <https://play.google.com/store/apps/details>

Damini MobileApp link : <https://play.google.com/store/apps/details>