

BIDHAN CHANDRA KRISHI VISWAVIDYALAYA
Faculty of Agriculture
Department of Genetics and Plant Breeding

Dr. Anita Roy (Aich)
M.Sc.(Ag.), Ph.D.
Associate Professor
9434657055 (M)



P.O. Krishiviswavidyalaya
Mohampur, Dt. Nadia
West Bengal - 741 252
Email: royanita1925@gmail.com

Ref Ten/RIDF- Stevia-21 /2018
Ref. e-Tender ID: 2018_BCKV_157222_1

Date: 20.2.2018

Officer In charge, Stevia Project -- RIDF , is inviting e-tender from competent and *bonafide* vendors/ parties/ distributors/ dealers/agents/ manufacturers having registration of GST for supply of following items to University, **within 07.03.2018 at 5.00 pm** as per specifications appended below .

- i) Preparation of bids: the tender should be submitted under two bid system (i.e. technical and financial bid) with validity for a period of 2 (two) months.
- ii) Submission of e-tender: the tender shall be submitted on line **within 07.03.2018 at 5.00 pm**.
- iii) Technical bids will be evaluated by the PI and the Co PIs of the project and the financial bids will be opened of those bidders who qualified for technical bids.
- iv) Price: The price furnitures should be quoted in net per unit (including taxes and duties, etc). bidders must stipulates the delivery period of the furnitures .
- v) EMD: Vendors are required to pay the requisite amount of Rs.15000 (Rupees fifteen thousand) only as EMD draft as specified against their quotation. Scanned copy of the demand draft must be uploaded as supporting document during submission of e-tender. Without EMD quotations bids will not be considered for technical of financial comparison. Draft must be in favour of 'Bidhan Chandra Krishi Viswavidyalaya' payable at Kalyani (IFSC: SBIN0001082). EMD exemption certificate must be attached, if any.
- vi) Supporting documents:
 - a) Bid papers should accompany authorization certificate from original manufacturer, trade license, GST registration, etc.
 - b) Scanned copy (self attested) of the original supporting document in favour of the specification –claim for each items must have to be uploaded separately
 - c) User list along with certificate from reputed users also need to be uploaded
 - d) Scanned copy of supporting document of assured after sale service in Eastern India needs to be uploaded
 - e) Price bid of the vendors will be compared only if technical specificity as appended against each item is fulfilled. The Viswavidyalaya reserves the right to accept or reject any tender without showing reason.

Dr Anita Roy,
OIC, Stevia as promising crop under RIDF
Bidhan Chandra Krishi Viswavidyalaya,
Mohampur, Nadia PIN 741252

Specifications of Furnitures

Sl No	Nameof the Item/ Equipment	Qty	Detail Specification	Size
1	STANDARD TABLE	1	STANDARD TABLE'S TOP MADE OF 25MM THICK & GABLE END & MODESTY PANEL MADE OF 18 MM THICK PRE-LAMINATED PARTICLE BOARD (CONFORMING IS-12823, DENSITY 700 KG/M ³ IS CHEMICALLY TREATED FOR TERMITE & BORER RESISTANT, TESTED RESISTANT TO ABRASION , STEAM, CRACK ,STAIN & UPTO 15% MOISTURE CONTENT)OF APPROVED COLOUR LAMINATE IS PROCESSED & BONDED BY AMINO-FORMALDEHYDE BASED / UREA MELAMINE RESINS WITH INCREASED MELAMINE OFFERING ENHANCED RESISTANCE.ALL EXPOSED EDGES SEALED WITH 2 MM PVC EDGE BANDING BONDED BY HOT MELT GLUE TAPE BONDING PROCESSED BY AUTOMATED EDGE BANDING MACHINE . COMPLETED WITH NECESSARY HARDWARES & FITTINGS FROM APPROVED BRAND	W-1800 X D-600 X H-750
2	SIDE UNIT	1	A CABINET WITH TWO SLIDING DOORS IN WIDTH OF 900 MM & 1SHELF MAKING TWO COMPARTMENTS IS MADE OF 18 MM THICK PRE- LAMINATED PARTICLE BOARD (CONFORMING IS-12823, DENSITY 700 KG/M ³ IS CHEMICALLY TREATED FOR TERMITE & BORER RESISTANT, TESTED RESISTANT TO ABRASION , STEAM, CRACK ,STAIN & UPTO 15% MOISTURE CONTENT)OF APPROVED COLOUR LAMINATE IS PROCESSED & BONDED BY AMINO-FORMALDEHYDE BASED / UREA MELAMINE RESINS WITH INCREASED MELAMINE OFFERING ENHANCED RESISTANCE.ALL EXPOSED EDGES SEALED WITH 2 MM PVC EDGE BANDING BONDED BY HOT MELT GLUE TAPE BONDING PROCESSED BY AUTOMATED EDGE BANDING MACHINE .BACK OF CABINET SUPPORTED BY 9 MM THICK PRE-LAMINATED PARTICLE BOARD OF SAME SPECIFICATION. COMPLETED WITH NECESSARY HARDWARES & FITTINGS FROM APPROVED BRAND .	W-900 X D-400 X H-750
3	FILE CABINET	1	A CABINET WITH THREE SWINGING DOORSWITH CLEAR GLASS IN WIDTH OF 1200 MM & THREE SHELVES MAKING FOUR COMPARTMENTS IS MADE OF 18 MM THICK PRE- LAMINATED PARTICLE BOARD (CONFORMING IS-12823, DENSITY 700 KG/M ³ IS CHEMICALLY TREATED FOR TERMITE & BORER RESISTANT, TESTED RESISTANT TO ABRASION , STEAM, CRACK ,STAIN & UPTO 15% MOISTURE CONTENT)OF APPROVED COLOUR LAMINATE IS PROCESSED & BONDED BY AMINO-FORMALDEHYDE BASED / UREA MELAMINE RESINS WITH INCREASED MELAMINE OFFERING ENHANCED RESISTANCE.ALL EXPOSED EDGES SEALED WITH PVC EDGE BANDING BONDED BY HOT MELT GLUE TAPE BONDING PROCESSED BY AUTOMATED EDGE BANDING MACHINE .BACK OF CABINET SUPPORTED BY 9 MM THICK PRE-LAMINATED PARTICLE BOARD OF SAME SPECIFICATION. COMPLETED WITH NECESSARY HARDWARES & FITTINGS FROM APPROVED BRAND .	W-1200 X D-400 X H-1800
4	Chair	2	SUPPLY OF MEDIUM BACK REVOLVING CHAIR FOR VISITOR.FRAME WITH 12 MM HOT PRESSED PLY COVERED WITH MOULDED PU FOAM IN SEAT & BACK WITH LEATHERITE UPHOLSTERY IN ANGULAR STITCH DEISGN ON BOTH SEAT AND BACK . THE BACK OF THE CHAIR IS IN ARCH SHAPE EXTENDING BELOW THE SEAT. THE ARM RESTS OF THE CHAIR US IN D-SHAPE STEEL INSERTED PU ARMS INCLUDING CENTER TILT AND HEIGHT ADJUSTMENT MECHANISM WITH GAS LIFT AND STEEL INSERTED NYLON BASE WITH CASTORS. OVERALL SIZE OF THE CHAIR SHALL BE SEAT SIZE 500MM X 500MM TOTAL HEIGHT OF THE BACK REST SHALL BE 960MM AND THE WIDTH OF THE BACK REST AT THE TOP POISTION SHALL BE 530 MM AND BOTTOM POSITION SHALL BE 470MM AND HEIGHT OF THE BACK REST SHALL BE 640 MM	
5	Visitor chair	3	MEDIUM BACK FIXED CHAIR.SEAT & BACK MADE OF HIGH DENSITY FOAM WITH LEATHERITE UPHOLSTERY.BACK OF CHAIR HAVE HORIZONATAL STITCHING DESIGN AND FIXED IN ERGONOMIC SHAPE FOR EXTRA SUPPORT ON BACK.BASE MADE OF MS CHROUMIUM PLATED IN CANTILIVER SHAPE.	

6	Sofa Set (3+1+1)	1	SLIM AND SLEEK DESIGN SOFA COMPRISING OF 2 PCS. 1 SEATER & 1 PC. OF 3 SEATER. STRUCTURE OF SOFA IS MADE OF SOLID HARD WOOD AND THE BASE OF SEAT AND BACKREST WEBBED WITH NYLON BELT AND PADDED WITH 32 DENSITY HI RESILIENT FOAM AND UPHOLSTERED IN WOVEN FABRIC or LEATHERITE.ARMREST IS COMFORATABLE AND FINISHED WITH SAME MATERIAL. SOFA IS SUPPORTED BY STRONG CHROMIUM PLATED ANGULAR MS LEGS.THE BACK REST OF THE SOFA IS ERGONOMICALLY DESIGNED WITH 3 DESIGN PATTERN FOR THE 2 SEATS AND BACK AND CONTOURED ARMRESTS.	
7	Book Case	1	UNIT WITH 2 GLASS DOORS & SHELVES.ALL PANEL MADE IF 18 MM THICK PRE-LAMINATED PARTICLE BOARD (CONFORMING IS- 12823, DENSITY 700 KG/M ³ IS CHEMICALLY TREATED FOR TERMITE & BORER RESISTANT, TESTED RESISTANT TO ABRASION , STEAM, CRACK ,STAIN & UPTO 15% MOISTURE CONTENT)OF APPROVED COLOUR LAMINATE IS PROCESSED & BONDED BY AMINO-FORMALDEHYDE BASED / UREA MELAMINE RESINS WITH INCREASED MELAMINE OFFERING ENHANCED RESISTANCE.ALL EXPOSED EDGES SEALED WITH 2 MM PVC EDGE BANDING BONDED BY HOT MELT GLUE TAPE BONDING PROCESSED BY AUTOMATED EDGE BANDING MACHINE . COMPLETED WITH NECESSARY HARDWARES & FITTINGS FROM APPROVED BRAND .ALL ACCESSORIES WILL BE OF APPROVED QUALITY.	W-670 X D-400 X
8	Steel Rack	2	MADE BY IRON SLOTTED ANGLE 35 MM X 35MM HAVING FOUR COMPARTMENTS, FIVE SHELVES INCLUDING TOP & BOTTOM.SHELF MADE BY 20 GAUGE C.R. SHEET, NICELY SPRAY PAINTED AND ALL COMPLETE.	W-915 X D-300 X H-1980
9	Standard Table	5	EXECUTIVE TABLE'S TOP MADE OF 25MM THICK & GABLE END & MODESTY PANEL MADE OF 18 MM THICK PRE-LAMINATED PARTICLE BOARD (CONFORMING IS-12823, DENSITY 700 KG/M ³ IS CHEMICALLY TREATED FOR TERMITE & BORER RESISTANT, TESTED RESISTANT TO ABRASION , STEAM, CRACK ,STAIN & UPTO 15% MOISTURE CONTENT)OF APPROVED COLOUR LAMINATE IS PROCESSED & BONDED BY AMINO-FORMALDEHYDE BASED / UREA MELAMINE RESINS WITH INCREASED MELAMINE OFFERING ENHANCED RESISTANCE.ALL EXPOSED EDGES SEALED WITH 2 MM PVC EDGE BANDING BONDED BY HOT MELT GLUE TAPE BONDING PROCESSED BY AUTOMATED EDGE BANDING MACHINE . COMPLETED WITH NECESSARY HARDWARES & FITTINGS FROM APPROVED BRAND	W-1200 X D-600 X H-750
10	Chair	6	SUPPLY OF MEDIUM BACK REVOLVING CHAIR FOR VISITOR.FRAME WITH 12 MM HOT PRESSED PLY COVERED WITH MOULDED PU FOAM IN SEAT & BACK WITH LEATHERITE UPHOLSTERY IN ANGULAR STITCH DEISGN ON BOTH SEAT AND BACK . THE BACK OF THE CHAIR IS IN ARCH SHAPE EXTENDING BELOW THE SEAT. THE ARM RESTS OF THE CHAIR US IN D-SHAPE STEEL INSERTED PU ARMS INCLUDING CENTER TILT AND HEIGHT ADJUSTMENT MECHANISM WITH GAS LIFT AND STEEL INSERTED NYLON BASE WITH CASTORS. OVERALL SIZE OF THE CHAIR SHALL BE SEAT SIZE 500MM X 500MM TOTAL HEIGHT OF THE BACK REST SHALL BE 960MM AND THE WIDTH OF THE BACK REST AT THE TOP POISTION SHALL BE 530 MM AND BOTTOM POSITION SHALL BE 470MM AND HEIGHT OF THE BACK REST SHALL BE 640 MM	
11	Steel Almirah	3	TWO DOOR CABINET MADE OF 18-20 GAUGE MS POWDER COATED WITH GLASS SWINGING DOOR STRUCTURED BY METAL FROM ALL SIDES.4 SHELVES MAKING 5 COMPARTMENTS. SIZE : L 865 X D 480 X H 1980 MM	W-860 X D-480 X
12	Conference Table	1	TOP MADE OF 25 MM THICK & BASE MADE OF 18 MM THICK PRE-LAMINATED PARTICLE BOARD (CONFORMING IS-12823, DENSITY 700 KG/M ³ IS CHEMICALLY TREATED FOR TERMITE & BORER RESISTANT, TESTED RESISTANT TO ABRASION , STEAM, CRACK ,STAIN & UPTO 15% MOISTURE CONTENT)OF APPROVED COLOUR LAMINATE IS PROCESSED & BONDED BY AMINO-FORMALDEHYDE BASED / UREA MELAMINE RESINS WITH INCREASED MELAMINE OFFERING	W-4200 X D-1800 X H-750

13	Chair	15	FIESTA - MEDIUM BACK MESH CHAIR. 360° REVOLVING TYPE CHAIR .SEAT & BACK FRAMED WITH HARD PVC THEN COVERED WITH NYLON MESH & SEAT MADE OF MOULDED POLYURETHANE FOAM (FOAM DENSITY OF $45 \pm 2\text{kg} / \text{m}^3$) WITH MESH UPHOLSTERY .THE BACK OF THE CHAIR DESIGNED IN CONTOURED LUMBER SUPPORT. THE ARM RESTS OF THE CHAIR IS IN D-SHAPE MADE OF POLY PROPYLENE. ECHANISM - PNEUMATIC HEIGHT ADJUSTMENT IS 7.0 cm .UPRIGHT POSITION LOCKING. 3 PIECE TELESCOPIC BELLOW ASSEMBLED WITH AN INJECTION MOULDED BLACK POLYPROPLENE .NYLON BASE – MS CHROME AND FITTED WITH INJECTION MOULDED BLACK POLYPROPLENE WITH 5 PCS. OF TWIN WHEEL CASTORS WHICH ARE INJECTION MOULDED IN BLACK NYLON	
14	Laptop table	1	LAPTOP TABLE'S TOP MADE OF 25MM THICK & GABLE END & MODESTY PANEL MADE OF 18 MM THICK PRE-LAMINATED PARTICLE BOARD (CONFORMING IS-12823, DENSITY 700 KG/M ³ IS CHEMICALLY TREATED FOR TERMITE & BORER RESISTANT, TESTED RESISTANT TO ABRASION , STEAM, CRACK ,STAIN & UPTO 15% MOISTURE CONTENT)OF APPROVED COLOUR LAMINATE IS PROCESSED & BONDED BY AMINO-FORMALDEHYDE BASED / UREA MELAMINE RESINS WITH INCREASED MELAMINE OFFERING ENHANCED RESISTANCE.ALL EXPOSED EDGES SEALED WITH 2 MM PVC EDGE BANDING BONDED BY HOT MELT GLUE TAPE BONDING PROCESSED BY AUTOMATED EDGE BANDING MACHINE . COMPLETED WITH NECESSARY HARDWARES & FITTINGS FROM APPROVED BRAND .	W-1050 X D-600 X H-750
15	DIAS	1	MADE OF 1" THICK SOLID WOOD.MAGAZINE TABLE'S TOP MADE OF 25MM THICK & GABLE END & MODESTY PANEL MADE OF 18 MM THICK PRE-LAMINATED PARTICLE BOARD (CONFORMING IS-12823, DENSITY 700 KG/M ³ IS CHEMICALLY TREATED FOR TERMITE & BORER RESISTANT, TESTED RESISTANT TO ABRASION , STEAM, CRACK ,STAIN & UPTO 15% MOISTURE	W-3600 X D-2400 X H-750
16	Standard Table for podium	1	MAGAZINE TABLE'S TOP MADE OF 25MM THICK & GABLE END & MODESTY PANEL MADE OF 18 MM THICK PRE-LAMINATED PARTICLE BOARD (CONFORMING IS-12823, DENSITY 700 KG/M ³ IS CHEMICALLY TREATED FOR TERMITE & BORER RESISTANT, TESTED RESISTANT TO ABRASION , STEAM, CRACK ,STAIN & UPTO 15% MOISTURE CONTENT)OF APPROVED COLOUR LAMINATE IS PROCESSED & BONDED BY AMINO-FORMALDEHYDE BASED / UREA MELAMINE RESINS WITH INCREASED MELAMINE OFFERING ENHANCED RESISTANCE.ALL EXPOSED EDGES SEALED WITH 2 MM PVC EDGE BANDING BONDED BY HOT MELT GLUE TAPE BONDING PROCESSED BY AUTOMATED EDGE BANDING MACHINE . COMPLETED WITH NECESSARY HARDWARES & FITTINGS FROM APPROVED BRAND .	W-1200 X D-600 X H-200
17	Student Chair	60	Frame - 1.2 mm wall thickness. Black Powder Coated Tube. Seat Polypropelene seat.Back Polypropelene back.Plastic Fittings made in house from Virgin PP platic for Long Service Life. Colors available Black, red Blue.Folding Tablet.	
18	Laboratory Table	2	LABORATORY TABLE-TOP - PROVIDING & FIXING 18MM POLISHED GRANITE TOP + 18 MM PLY . BASE - 18 MM PLY.ALL MADE OF B.W.R GRADE PLYWOOD- CONFORMING IS. 303 -1989 CHEMICALLY TREATED FOR TERMITE AND BORED RESISTANT BONDED WITH MELAMINE FORTIFIED UREA FORMALDEHYDE SYNTHETIC ADHESIVE/ PHENOL FORMALDEHYDE SYNTHETIC RESIN OF APPROVED MAKE AND BRAND. DECORATIVE LAMINATION CONFORMING TO B.S. 476 & ENVIRONMENT FRIENDLY.THICK NESS OF THE ALL OUTER LAMINATES 1.00 mm & THICKNESS OF INNER LAMINATES - 0.80mm. ALL PLY BOARDS PANNELS WILL BE PRE-PRESSED IN THE FACTORY ON BOTH SIDE BY LAMIINATES OF THICKNESS 1.00mm ON THE EXTERIOR FACE & 0.80 mm ON THE INTERIOR SURFACE.IT IS GLUED BY SPRAY & PRE -PRESSED IN HOT PRESS. NO MANUAL PROCESS OF GLUEING IS INVOLVED. ALL THE PLY WOOD SURFACES , WHETHER INTERNAL OR EXTERNAL SHOULD BE COVERED WITH LAMINATE. THIS GIVES A CLEAN FINISH , NO BUBBLE AND NO UNDULATION ON THE SURFACE.ONE PENCIL DRAWER & ONE FILE CABINET PROVIDED . UPPER TABLE TOP APPARATUS RACK WITH TWO SHELVES PROVIDED.SIDE PANEL OF UPPER RACK WILL BE DECORATED BY FABRIC FIXED WITH STUDS.ELECTRICAL FACILITY ALSO PROVIDED FROM FLOOR ON THE TABLE TOP.ALL ACCESSORIES WILL BE OF APPROVED QUALITY.	W-2400 X D-1200 X H-750-

19	Tools	10	SEAT AND BACK MADE OF HIGH DENSITY FOPAM WITH FABRIC UPHOLSTERY.ROUND BASE MADE OF MS CHROMIUM PLATED WITH FOOT REST.CLASS III HYDRAULIC MECHANISM FOR HEIGHT ADJUSTMENT.	
----	-------	----	---	--