



Bidhan Chandra Krishi Viswavidyalaya
Directorate of Research, Kalyani - 741 235, Nadia, West Bengal

AICRP on Soil Test Crop Response Correlation

☎ - (033) 9433777855 (M): 2582-8354 (R): Fax: (033) 2582-8460

E-mail: nihar_bckv@rediffmail.com

Dr. Niharendu Saha

Associate Professor & Officer in-charge
PI, RIDF project on "Farmers' Service
Centre for Soil Testing and fertilizer.."

Date- 29.01.18

Ref. No. STCR/RIDF/ FSC/ II Tender/05

Ref. e-Tender ID: 2018_BCKV_151958_1 Dated: 30.1.2018

Notice Inviting E-Tender

The Principal Investigator, RIDF project "**Farmers' Service Center for Soil Testing and Fertilizer Recommendation-referral laboratory**", AICRP on Soil Test Crop Response Correlation, Directorate of Research, Bidhan Chandra Krishi Viswavidyalaya, Kalyani is inviting e-tender from competent and bonafide manufacturers/ authorized distributors/ dealers/ agents for supply of **following furniture items** to University Laboratory as per specifications appended against each item.

(i) Preparation of Bids: - **The tender which include all furniture items (listed below)** should be submitted under two-bid system (i.e. Technical bid and Financial bid) with validity for a period of six month or more.

(ii) Submission of e-tender: - The tender shall be submitted strictly **within 19th February, 2018 at 5 P.M.** Technical Quotations shall also be submitted online and may separately by sealed envelope mentioning name of the item and item reference number on top of the envelope to the below-mentioned addresses.

For on line submission of Tender please visit <https://wbenders.gov.in>

(iii) Opening of the tender: - The technical bid will be opened by the Central Purchase Committee, BCKV duly consigned for this purpose. After scrutinizing, the financial offer/bid of technically qualified vendors will be opened.

(iv) Prices: The prices of all the furniture and items, including imported ones, should be quoted in net per unit (including all taxes and duties, etc.). However, University will provide valid DSIR and authorization certificate to the clearing agent, if required. Quotation must include essential all accessories (as mentioned for each equipment) from branded company, in **Indian Rupees** only, even if the main furniture is quoted in foreign

currency. Without essential accessories tender will be considered as incomplete. Quoted rates must be FOR DESTINATION (including packing, insurance and delivery charges up to the **Referral laboratory at BCKV, Mohanpur**) with satisfactory installation and demonstration.

(v) EMD: - Vendors are required to pay the requisite amount **Rs. 2000.00/- (Rupees Two Thousand Only)** as EMD draft as specified against their quotation. Scan copy of the requisite draft must be uploaded as supporting document during submission of e-tender. Without EMD quotations will not be considered for technical or financial comparison. Draft must be in favour of 'Bidhan Chandra Krishi Viswavidyalaya' payable at Kalyani (IFSC: SBIN0001082).

(vi) **Supporting documents:-**

- (a) Bid papers should accompany authorization certificate from original manufacturer, trade license, GST registration, etc;
- (b) Scan copy (self attested) of the original supporting document in favour of the specification-claim for each item must have to be uploaded separately;
- (c) User list along with certificate from reputed users also need to be uploaded for each item;
- (d) Scan copy of supporting document of assured after sales services in Eastern India and availability of spare parts need to be uploaded.

Price bid of the vendors will be compared only if technical specificity as appended against each item is fulfilled. The **Viswavidyalaya authority reserves the right to accept or reject any tender without showing any reason.**

Dr. Niharendu Saha, Associate Professor,
Principal Investigator, RIDF project
Farmers' Service Centre For Soil Testing And Fertilizer
Recommandations (Referral Laboratory)

&

Officer-in-Charge,
AICRP on Soil Test Crop Response Correlation
Directorate of Research,
Bidhan Chandra Krishi Viswavidyalaya, Kalyani-741235

Email: nihar_bckv@rediffmail.com Mobile: 8013472996, 09433777855,

Name of the Item: Furnitures

Sl. No.	Furniture Items	Details Specification	Size	Quantity
1.	Standard Table	Executive table's top made of 25mm thick & gable end & modesty panel made of 18 mm thick pre-laminated particle board (conforming is-12823, density 700 kg/m ³ is chemically treated for termite & borer resistant, tested resistant to abrasion , steam, crack ,stain & upto 15% moisture content) of approved colour laminate is processed & bonded by amino-formaldehyde based / urea melamine resins with increased melamine offering enhanced resistance.all exposed edges sealed with pvc edge banding bonded by hot melt glue tape bonding processed by automated edge banding machine . completed with necessary hardwares & fittings from approved brand .	W-2400 X D-600 X H- 750	1
2.	Standard Table	-Do-(Same as above)	W-1200 X D-600 X H-750	1
3.	Chair	Supply of medium back revolving chair for visitor. frame with 12 mm hot pressed ply covered with moulded foam in seat & back with leatherite upholstery in angular stitch deisgn on both seat and back . the back of the chair is in arch shape extending below the seat. the arm rests of the chair us in d-shape steel inserted pu arms including center tilt and height adjustment mechanism with gas lift and steel inserted nylon base with castors. overall size of the chair shall be seat size 500mm x 500mm total height of the back rest shall be 960mm and the width of the back rest at the top poistion shall be 530 mm and bottom position shall be 470mm and height of the back rest shall be 640 mm.		5
4.	Podium	Podium made of 18 mm thick panel on sides & top made of pre-laminated particle board including fitting & accessories of approved brand.	W-1200 X D-600 X H-1200	1
5.	Dias	Made Of 1" Thick Solid Wood.	W-3600 X D-2100 X H-200	1
06.	Student Chair Folding Table	Frame - 10.2 mm wall thickness. black powder coated tube. seat polypropelene seat.back polypropelene back.plastic fittings made in house from virgin pp platic for long service life. colors available black, red blue. folding tablet.		44
07	Laboratory Table	Laboratory table- top - providing & fixing 18mm polished granite top + 18 mm ply . base – 18 mm ply.all made of b.w.r grade plywoodconforming is. 303 -1989 chemically treated for termite and bored resistant bonded with melamine fortified urea formaldehyde synthetic adhesive/ phenol formaldehyde synthetic resin of approved make and brand. decorative lamination conforming to b.s. 476 &	W-3300 X D-900 X H-1800	2

		environment friendly.thick ness of the all outer laminates 1.00 mm & thickness of inner laminates - 0.80mm. all ply boards pannels will be pre-pressed in the factory on both side by lamiinates of thickness 1.00mm on the exterior face & 0.80 mm on the interior surface.it is glued by spray & pre - pressed in hot press. no manual process of glueing is involved. All the ply wood surfaces , whether internal or external should be covered with laminate. this gives a clean finish , no bubble and no undulation on the surface.one pencil drawer & one file cabinet provided . upper table top apparatus rack with two shelves provided.side panel of upper rack will be decorated by fabric fixed with studs.electrical facility also provided from floor on the table top.all accessories will be of approved quality.		
08	Laboratory Table	--Do--- (Same as above)	W-8100 X D900 X H- 1800	1
09	Laboratory Table	--Do--- (Same as above)	W-14050 X D-900 X H-800	1
10	Laboratory Table	---Do--- (Same as above)	W-4800 X D-900 X H- 1800	1
11	Laboratory Table	---Do--- (Same as above)	W-1800 X D-900 X H- 1800	2
12	Laboratory Table	---Do--- (Same as above)	W-15875 X D-900 X H -1800	1
13	Laboratory Table	---DO--- (Same as above)	W-5300 X D-900 X H-1800	1
14	Laboratory Table	---DO - --(Same as above)	W-11000 X D-900 X H-1800	1
15	Full Height Storage	Cabinet With Eight Swinging Doors In Width Of 1600 Mm & Five Shelf Making Four Compartments Is Made Of 18 Mm Thick Pre-Laminated Particle Board (Conforming Is-12823, Density 700 Kg/M ³ Is Chemically Treated For Termite & Borer Resistant, Tested Resistant To Abrasion ,Steam, Crack ,Stain & Upto 15% Moisture Content)Of Approved Colour	W-1600 X D-400 X H- 2100	1

	<p>Laminate Is Processed & Bonded By Amino-Formaldehyde Based / Urea Melamine Resins With Increased Melamine Offering Enhanced Resistance.All Exposed Edges Sealed With Pvc Edge Banding Bonded By Hot Melt Glue Tape Bonding Processed By Automated Edge Banding Machine .Back Of Cabinet Supported By 9 Mm Thick Pre-Laminated Particle Board Of Same Specification. Completed With Necessary Hardwares & Fittings From Approved Brand.</p>		
--	---	--	--