



BIDHAN CHANDRA KRISHI VISWAVIDYALAYA

PO- KrishiViswavidyalaya, Mohanpur (741252), Nadia, W. B.

Ref. No.: PP/02/Furniture e-tender/18-19

Date: 08.02.2019

Tender ID 2019_BCKV_214266_1

Bid Opening Date 04-Mar-2019 12:00 PM

The Principal Investigator, “ **Current status of bacterial wilt and detection of *Ralstonia solanacearum* free areas under potato growing districts to facilitate the export from west Bengal**” (Project Code: 12091) funded By The Director Of Agriculture, Government Of West Bengal, 63, Jessop Building, Strand Road, Kolkata-700001 is inviting quotations from most competent and bonafide vendors / parties / distributors /dealers / agents / manufacturers having registration of GST for supply of following items to the **Main Campus, F/ Agriculture, Mohanpur, Nadia- 741252 within 21 days from the date of advertisement** as per specifications appended below.

Terms & Conditions:

- i. Submission of quotation: the quotation shall be submitted **within** 21days from the date of issuing e-tender notice.
- ii. Preparation of bids: the e-tender should be submitted under two bids system (technical & financial bid) with validity for a period of 6 (six) months.
- iii. Opening of the e-tender: the technical bid will be opened by the Central purchase committee, BCKV, duly consigned for this purpose. After scrutinizing, the financial offer / bid of technically qualified vendors will be opened.
- iv. Price: The price of items, including imported ones, should be quoted in INR & net per unit(including taxes and duties, etc). However, University will provide valid DSIR and authorization certificate to the clearing agent, if required.
- v. EMD: Vendors are required to pay the requisite amount (Rs.20,000/-) as EMD draft as specified against their quotation. Scanned copy of the requisite draft must be uploaded as supporting document during submission of e-tender. Without EMD quotations will not be considered for technical or financial comparison. Draft must be in favour of “**Bidhan Chandra Krishi Viswavidyalaya**” payable at **Kalyani (IFSC: SBIN0001082)**. The EMD exemption certificate must be uploaded, if any.
- vi. Quoted rates must be FOR DESTINATION (including packing, insurance and delivery charges up to the laboratory at **Main Campus, F/ Agriculture, Mohanpur, Nadia- 741252** with satisfactory installation and demonstration. The bidders must stipulate the delivery period of the same.
- vii. Payment will be made after satisfactorily performance of the items.
- viii. The vendor should have experience for supplying of different items to any Government / Semi Government organization.

ix. Important safety standards

The instrument must confirm to International EMC and Safety standards.

x. Warranty

Warranty period minimum of 02 Years or more from the date of supply, as specified in the specification of the respective instruments. Manufacturer must have their own dedicated Service Centre available in India and details of Service Centre must be provided while submitting their Quotations.



xi. Supporting documents

- Bid papers should accompany authorization certificate from original manufacturer, trade license, GST registration, proprietary certificate (if any) etc.
- Photocopy (self attested) of the original supporting document in favour of the specification –claim for each item must have to be submitted separately, if available.
- User list along with certificate from reputed users also need to be submitted.

xii. Price bid of the vendors will be compared only if technical specificity as appended against each item is fulfilled. The Viswavidyalaya reserves the right to accept or reject any tender without showing reason.

Chairman, CPC

5	Straight line Laboratory Table (One Seater Table)	1200X750X750	<p>Providing & fixing L 1200 X D 750 mm clear granite counter.Rate shall be included of 18 mm thick polished granite.200 mm deep 18 mm thick polished granite front facia.Cutting and creating hole in slab and stone.Providing and fixing counter storage below the sink granite top made with BWR ply CONFORMING IS. 303 -1989 CHEMICALLY TREATED FOR TERMITE AND BORER RESISTANT BONDED WITH MELAMINE FORTIFIED UREA FORMALDEHYDE SYNTHETIC ADHESIVE/ PHENOL FORMALDEHYDE SYNTHETIC RESIN OF 18 MM THICKNESS WITH 1 MM APPROVED COLOUR LAMINATE (Confirming to IS 2046-95 & EN 438) OF ALL VISIBLE SURFACES with 1 mm THICK COLOUR LAMINATE IN SUEDE FINISH ON ALL EXTERNAL / VISIBLE SURFACES AND 0.8 MM THICK OFF WHITE LAMINATE ON ALL INTERNAL / NON-VISIBLE SURFACES. ALL EXPOSED EDGES WILL BE SEALED WITH PVC EDGE BANDING, MACHINE APPLIED USING HOT MELT GLUE with handle lock competed as per approval. All as per approved design & layout. On Uper part have two shelf. in lower part each seat area have one drawer & one shatter. .All as per approved design & layout.</p>	1
	CPU Trolley		<p>CPU TROLLEY TO SAVE VALUABLE DESK SPACE MADE OF MS POWDER COATED WITH TWIN WHEEL NYLON CASTORS .</p>	3
7	Over head Storage	1200X300X885	<p>Providing and fixing overhead storage is made of BWR ply CONFORMING IS. 303 - 1989 CHEMICALLY TREATED FOR TERMITE AND BORER RESISTANT BONDED WITH MELAMINE FORTIFIED UREA FORMALDEHYDE SYNTHETIC ADHESIVE/ PHENOL FORMALDEHYDE SYNTHETIC RESIN OF 18 MM THICKNESS WITH 1 MM APPROVED COLOUR LAMINATE (Confirming to IS 2046-95 & EN 438) OF ALL VISIBLE SURFACES with 1 mm THICK COLOUR LAMINATE IN SUEDE FINISH ON ALL EXTERNAL / VISIBLE SURFACES AND 0.8 MM THICK OFF WHITE LAMINATE ON ALL INTERNAL / NON-VISIBLE SURFACES. ALL EXPOSED EDGES WILL BE SEALED WITH PVC EDGE BANDING, MACHINE APPLIED USING HOT MELT GLUE with inside polish handle .All locks competed as per approval.The storage will have 300 mm depth and 885 mm height.All as per approved design & layout.</p>	2
10	Lab Stool		<p>Lab stools stainless steel (grade - 202) with 16 swg. 300 mm dia SS seat.with Four 16 swg 25mm leg made by SS pipe.</p>	15

12	MEDIUM BACK CHAIR (Semi Executive Chair)			<p>FIESTA - MEDIUM BACK MESH CHAIR. 360° REVOLVING TYPE CHAIR . SEAT & BACK FRAMED WITH HARD PVC THEN COVERED WITH NYLON MESH & SEAT MADE OF MOULDED POLYURETHANE FOAM (FOAM DENSITY OF 45 ± 2kg / m³) WITH MESH UPHOLSTERY .THE BACK OF THE CHAIR DESIGNED IN CONTOURED LUMBER SUPPORT. THE ARM RESTS OF THE CHAIR IS IN D-SHAPE MADE OF POLY PROPYLENE. MECHANISM - PNEUMATIC HEIGHT ADJUSTMENT IS 7.0 cm .UPRIGHT POSITION LOCKING. 3 PIECE TELESCOPIC BELLOW ASSEMBLED WITH AN INJECTION MOULDED BLACK POLYPROPYLENE .NYLON BASE - MS CHROME AND FITTED WITH INJECTION MOULDED BLACK POLYPROPYLENE WITH 5 PCS. OF TWIN WHEEL CASTORS WHICH ARE INJECTION MOULDED IN BLACK NYLON.</p>	1
14	Full Size Almirah with Locker		W 860 X D 560 X H 1980 MM	<p>METAL ALMIRAH WITH TWO DOORS AND ONE LOCKER.TWO FULL SHELVES MAKING THREE COMPARTMENT AND TWO HALF SHELVES SHALL BE INTERNALLY INSTALLED.ALL SHELVES MADE OF (0.7MM) THICK CRCA "D" GRADE.CABINET LOCKER IN SIZE OF 300 X 300 X 450 MM INSTALLED.THE WHOLE METAL FRAMEWORK SHALL BE MADE OF CRCA METAL SHEETS WITH MINIMUM THICKNESS OF 1.0 MM INCLUDING THE BACK AND TWO SIDES OF THE CABINET AND INTERNAL SHELVES.ALL METAL PIECES SHALL BE WELDED TOGETHER PROPERLY, STRONGLY AND IN CONFORMITY WITH REGULATIONS.RUBBER/PLASTIC HEELS SHALL BE FIXED AT THE BOTTOM OF THE CABINET.ALL METALS SHOULD HAVE FINISH OF EPOXY POLYSTER POWDER COATING OF DFT=50/60 MICRON.</p>	2