

Department of Fruit Science FACULTY OF HORTICULTURE BIDHAN CHANDRA KRISHI VISWAVIDYALAYA

P.O. Krishi viswavidyalaya, Mohanpur-741252, West Bengal

Phone: (03473) 222659-Off.

Fax: (03473) 222659 Mobile-09433307627

E-mail: skundubckv@rediffmail.com

skundubckv@gmail.com

From: Dr.S.Kundu Professor & Head

Ref.No. F. Sc./ ICAR DEV/Quot./2/20

Dated: 13/03/2020

QUUTATION NOTICE

Sealed Quotations are hereby invited for the following items as per specifications given below by the Manufacturer / confide Agencies having valid VAT Registration with VAT return, P/Tax, IT return PAN etc. The quotation should reach the office of the undersigned within 7 (seven) days from the date of issue of the notification.

The quoted price should be inclusive of all taxes, installation cost, etc, if any. The university authority reserves the right to accept or reject any quotation wholly or in part without assigning any reason whosoever.

| Name of the Items | Specifications |
|----------------------------------|--|
| Flame photometer with compressor | Sensitivity (FS) |
| | Sodium (Na) : 2 ppm |
| | Potassium (K): 1 ppm |
| | Lithium (Li) : 7 ppm |
| | Calcium (Ca) : 30 ppm |
| | Accuracy ±2% of FSD |
| | Display 2½ digit LED |
| | Minimum sample volume: 3.5 ml |
| | Aspiration time: 30 second (approx.) |
| | Air pressure: 0.3 – 0.6 kg/cm ² |
| | Fuel gas: LPG |
| | Power: 230 volt. ± 10%, 50 H _z |
| | Dimension main unit: 275 (W) x 235 (D) x 270 (H)mm |
| | Accessories: Gas and Air tube |
| | Optional accessories : Li and Ca Filters |

Last date of submission: 20/03/2020.

Sd/-

Dept. of Fruit Science

Copy for information to:

- 1. Notice Board of the Department
- 2. Dean, F/Horticulture, BCKV
- 3. Registrar, BCKV
- 4. Comptroller, BCKV
- 5. Directorate of Extension Education, BCKV
- 6. Dean, Faculty of Agriculture, BCKV
- 7. In charge, Web site Cell with request to upload in BCKV Website.

Symba

Head
Dept. of Fruit Science

Professor & Hossi Department of Fruit Science Faculty Siture, B.C.A.V. Mohanpur-741252, Nadie, W.B.

The character of one of the state of the sta