

BIDHAN CHANDRA KRISHI VISWAVIDYALAYA DIRECTORATE OF EXTENSUION EDUCATION

P.O. Krishi Viswavidyalaya, Mohanpur - 741252, Dist. Nadia, West Bengal E-mail: deebckv@gmail.com

From: Prof. Pintoo Bandopadhyay

Director

No.:DEE/1687 Date: 07.03.2024

OUOTATION NOTICE

Sealed quotations are invited from bonafied and experienced agency for 1.0 ton inverter split **AC** for Nadia Krishi Vigyan Kendra, Gaveshpur, Nadia as per following specifications.

Work details: 1.0 ton inverter split AC

Type: Inverter Split, Capacity: 1.0 Ton, Star Rating: 3 Star

Color: White, Cooling Capacity: 3518W, Compressor: Rotary type, Dehumidification: Yes, Condenser Coil: Copper, Remote Control: Yes

Quantity: One (01)

Place of work: Nadia Krishi Vigyan Kendra, BCKV, Gayeshpur, Nadia

Terms & Conditions:

- 1. The bidder should submit copies of Trade License, Current IT Return, GST Certificate and PAN Card along with the quotation paper.
- 2. All rates of the above-mentioned materials should be quoted inclusive or exclusive of all taxes as applicable.
- 3. No delivery charge will be given.
- 4. The successful agency shall remain liable to deliver the product/completion the mentioned work to the satisfaction of this office.
- 5. The quotation to be submitted during the office hours at the office of the undersigned (except Saturday, Sunday and Holiday) within seven (7) days from the date of notification in the BCKV website.
- 6. The office reserves the right to accept or reject any or all the quotations without assigning any reason whatsoever at any stage of the process.

Sd/-**Director of Extension Education** BCKV

No.: DEE/1687(6)

Date: 07.03.2024

Copy forwardedwith kind request to display at the notice board of:

- 1. The Registrar (officiating), BCKV, Mohanpur, Nadia
- 2. The Librarian, BCKV, Mohanpur, Nadia
- 3. The Comptroller, BCKV, Mohanpur, Nadia
- 4. The Senior Scientist & Head, Hooghly/Howrah/Purba Medinipur/Jhargram KVK
- 5. DEE and Nadia KVK Notice Board
- 6. File Copy

13/3/24

Director of Extension Education

BCKV