



BIDHAN CHANDRA KRISHI VISWAVIDYALAYA

Department of Plant Pathology, SSMP

BCKV, Mohanpur, Nadia, West Bengal

BRNS-DAE "Induced mutation for resistance to spot blotch of wheat caused by *Bipolaris sorokiniana* (Shoem)"

Dr. Sunita Mahapatra
Principal Investigator

Email: sunita.mahapatra071@gmail.com
Mob. 8697510002

Ref. No.: BRNS/01/2023

Date: 2.03.2023

NOTICE INVITING TENDER

The Principal Investigator, BRNS-DAE funded project "Induced mutation for resistance to spot blotch of wheat caused by *Bipolaris sorokiniana* (Shoem)", BCKV, Mohanpur, Nadia, is inviting tenders from reputed, competent and *bonafide* manufacturers/ distributors/ dealers/ agents/ vendors/ parties having registration of GST for supply of the following items at said department, Mohanpur, Nadia within 7 days from the date of upload at university website, 6.00 pm as per specifications appended below in the table. The quote price must include GST and should valid for 31 March'2023. The is to be submitted to the following address;

P.I. Dr.Sunita Mahapatra
Assistant Professor , Plant Pathology,
SSMP, BCKV,Nadia, W.B. 741252.

| Sl. No. | Qty. | Details Specification |
|---------|--------------------------|--|
| 1 | 25 pairs | Petri plates (made of borosilicate glass,heat proof) |
| 2 | 6 containers (500g.each) | Silica Gel |
| 3 | 1 packet | Microtips (2-20µl) |
| 4 | 1 packet | Microtips (200-1000µl) (1 packet) |
| 5 | 1 packet | Microcentrifuge tubes (1.5 µl) |
| 6 | 1 packet | Microcentrifuge tubes (2 µl) |
| 7 | 1 container (3 L) | Ice box |
| 8 | 1 jar | Culture bottles/ Autoclavable jars (6.5cm) |
| 9 | 2 boxes | Tip box |
| 10 | 2 | Test tube stand (three tiers 31 holes) |
| 11 | 1 | Spatula |
| 12 | 1 | Spirit lamp |
| 13 | 25g | Rose Bengal |
| 14 | 1 | Khurpi |
| 15 | 500 g | Potassium dichromate |
| 16 | 2.5l | Sulphuric acid |
| 17 | 5g | Chloramphenicol |

As per decision of the 29th LTC meeting held on 02/03/23, the Tender notice is allowed to upload in the University website.

Sunita Mahapatra
Principal Investigator

2/3/23